Arsenic in groundwater of the Red River floodplain, Vietnam: Controlling geochemical processes and reactive transport modeling

Postma D., Larsen F., Minh Hue N.T., Duc M.T., Viet P.H., Nhan P.Q., Jessen S.
Institute of Environment and Resources, Technical University of Denmark, Building 115, DK 2800 Kgs Lyngby, Denmark; Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, Viet Nam; Hanoi University of Mining and Geology, Viet Nam

Abstract: The mobilization of arsenic (As) to the groundwater was studied in a shallow Holocene aquifer on the Red River flood plain near Hanoi, Vietnam. The groundwater chemistry was investigated in a transect of 100 piezometers. Results show an anoxic aquifer featuring organic carbon decomposition with redox zonation dominated by the reduction of Fe-oxides and methanogenesis. Enhanced P_{CO2} pressure causes carbonate dissolution to take place but mainly in the soil and unsaturated zone. The concentration of As increases over depth to a concentration of up to 550 μg/L. Most As is present as As(III) but some As(V) is always found. Arsenic correlates well with NH_4, relating its release to organic matter decomposition and the source of As appears to be the Fe-oxides being reduced. Part of the produced Fe(II) is apparently reprecipitated as siderite containing less As. Results from sediment extraction indicate most As to be related to the Fe-oxide fractions. The measured amount of sorbed As is low. In agreement, speciation calculations for a Fe-oxide surface suggest As(III) to constitute only 3% of the surface sites while the remainder is occupied by carbonate and silica species. The evolution in water chemistry over depth is homogeneous and a reactive transport model was constructed to quantify the geochemical processes along the vertical groundwater flow component. A redox zonation model was constructed using the partial equilibrium approach with organic carbon degradation in the sediment as the only rate controlling parameter. Apart from the upper meter a constant degradation rate of 0.15 C mmol/L/yr could explain the redox zonation throughout the aquifer. Modeling also indicates that the Fe-oxide being reduced is of a stable type like goethite or hematite. Arsenic is contained in the Fe-oxides and is first released during their dissolution. Our model further suggests that part of the released As is adsorbed on the surface of the remaining Fe-oxides and in this way may be retarded.
Index Keywords: arsenic; concentration (composition); decomposition; dissolution; floodplain; flow modeling; groundwater; groundwater flow; methanogenesis; organic carbon; reduction; transport process; vadose zone; water chemistry; Asia; Eurasia; Hanoi; Southeast Asia; Viet Nam

Year: 2007
Source title: Geochimica et Cosmochimica Acta
Volume: 71
Issue: 21
Page : 5054-5071
Cited by: 45
Link: Scorpus Link

Correspondence Address: Postma, D.; Institute of Environment and Resources, Technical University of Denmark, Building 115, DK 2800 Kgs Lyngby, Denmark; email: djp@er.dtu.dk
ISSN: 167037
DOI: 10.1016/j.gca.2007.08.020
Language of Original Document: English
Abbreviated Source Title: Geochimica et Cosmochimica Acta
Document Type: Article
Source: Scopus
Authors with affiliations:

- Postma, D., Institute of Environment and Resources, Technical University of Denmark, Building 115, DK 2800 Kgs Lyngby, Denmark
- Larsen, F., Institute of Environment and Resources, Technical University of Denmark, Building 115, DK 2800 Kgs Lyngby, Denmark
- Minh Hue, N.T., Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, Viet Nam
- Duc, M.T., Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, Viet Nam
- Viet, P.H., Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, Viet Nam
- Nhan, P.Q., Hanoi University of Mining and Geology, Viet Nam
- Jessen, S., Institute of Environment and Resources, Technical University of Denmark, Building 115, DK 2800 Kgs Lyngby, Denmark

References:

- Akai, J., Izumi, K., Fukuhara, H., Masuda, H., Nakano, S., Yoshimura, T., Ohfuji, H., Akai, K., Mineralogical and geomicrobiological investigations on groundwater arsenic enrichment in Bangladesh (2004) Appl. Geochem., 19, pp. 215-230
- Anawar, H.M., Akai, J., Sakugawa, H., Mobilization of arsenic from subsurface sediments by effect of bicarbonate ions in groundwater (2004) Chemosphere, 54, pp. 753-762
- Appelo, C.A.J., Postma, D., (2005) Geochemistry Groundwater and Pollution. second ed., , Balkema Publisher 649 pp
- Appelo, C.A.J., Van Der Weiden, M.J.J., Tournassat, C., Charlet, L., Surface complexation of ferrous iron and carbonate on ferrihydrite and the mobilization of arsenic (2002) Environ. Sci. Technol., 36, pp. 3096-3103
- Aurillo, A.C., Mason, R.P., Hemond, H.F., Speciation and fate of arsenic in three lakes of the Aberjona watershed (1994) Environ. Sci. Technol., 28, pp. 577-585
- Berg, M., Tran, H.C., Nguyen, T.C., Pham, H.V., Schertenleib, R., Giger, W., Arsenic contamination of groundwater and drinking water in Vietnam: a human health threat (2001) Environ. Sci. Technol., 35, pp. 2621-2626
- Cline, J.D., Spectrophotometric determination of hydrogen sulfide in natural waters (1967) Limnol. Oceanogr., 14, pp. 454-458
- Cullen, W.R., Reimer, K.J., Arsenic speciation in the environment (1989) Chem. Rev., 89, pp. 713-764
- Dowling, C.B., Poreda, R.J., Basu, A.R., Peters, S.L., Aggarwal, P.K., Geochemical study of arsenic release mechanisms in the Bengal Basin groundwater (2002) Water Resour. Res., 38, p. 1173. , 10.1029/2001WR000968
- Dzombak, D.A., Morel, F.M.M., (1990) Surface Complexation Modeling-Hydrous Ferric Oxide, , Wiley
- Gault, A.G., Polya, D.A., Charnock, J.M., Islam, F.S., Lloyd, J.R., Chatterjee, D., Preliminary EXAFS studies of solid phase speciation of As in a West Bengali sediment (2003) Miner. Mag., 67, pp. 1183-1191

- Goodbred Jr., S.L., Kuehl, S.A., The significance of large sediment supply, active tectonism, and eustasy on margin sequence development: late quaternary stratigraphy and evolution of the Ganges-Brahmaputra delta (2000) Sediment. Geol., 133, pp. 227-248
- Hansen, L.K., Jakobsen, R., Postma, D., Methanogenesis in a shallow sandy aquifer, Rømø, Denmark (2001) Geochim. Cosmochim. Acta, 65, pp. 2925-2935
- Harvey, C.F., Swartz, C.H., Badruzzaman, A.B.M., Keon-Blute, N., Yu, W., Ali, A., Jay, J., Ahmed, M.F., Arsenic mobility and groundwater extraction in Bangladesh (2002) Science, 298, pp. 1602-1606
- Harvey, C.F., Ashfaque, K.N., Yu, W., Badruzzaman, A.B.M., Ali, M.A., Oates, P.M., Michael, H.A., Ahmed, M.F., Groundwater dynamics and arsenic contamination in Bangladesh (2006) Chem. Geol., 228, pp. 112-136
- Heimann, A.C., Blodau, C., Postma, D., Larsen, F., Pham, H.V., Pham, Q.N., Jessen, S., Jakobsen, R., Hydrogen thresholds and steady state concentrations associated with microbial arsenate respiration (2007) Environ. Sci. Technol., 41, pp. 2311-2317
- Herbel, M., Fendorf, S., Biogeochemical processes controlling the speciation and transport of arsenic within iron coated sands (2006) Chem. Geol., 228, pp. 16-32
- Horneman, A., van Geen, A., Mathe Kent, D.V., Zheng, Y.P.E., Dhar, R.K., O'Connell, S., Hoque, M.A., Ahmed, K.M., Decoupling of As and Fe release to Bangladesh groundwater under reducing conditions Part I: evidence from sediment profiles (2004) Geochim. Cosmochim. Acta, 68, pp. 3459-3473
- Hudson-Edwards, K.A., Houghton, S.L., Osborn, A., Extraction and analysis of arsenic in soils and sediments (2004) Trends Anal. Chem., 23, pp. 745-752
- Islam, F.S., Gault, A.G., Boothman, C., Polya, D.A., Charnock, J.M., Chatterjee, D., Lloyd, J., Role of metal-reducing bacteria in arsenic release from Bengal delta sediments (2004) Nature, 430, pp. 68-71
- Jakobsen, R., Postma, D., Redox zoning, rates of sulfate reduction and interactions with Fe-reduction and methanogenesis in a shallow sandy aquifer, Rømø, Denmark (1999) Geochim. Cosmochim. Acta, 63, pp. 137-151
- Jakobsen, R., Cold, L., Geochemistry at the sulfate reduction-methanogenesis transition zone in an anoxic aquifer-a partial equilibrium interpretation using 2D reactive transport modeling (2007) Geochim. Cosmochim. Acta, 71, pp. 1949-1966
- Keon, N.E., Swartz, C.H., Brabander, D.J., Harvey, C., Hemond, H.F., Validation of an arsenic sequential extraction method for evaluating mobility in sediments (2001) Environ. Sci. Technol., 35, pp. 2778-2784
- Kjøller, C., Postma, D., Larsen, F., Groundwater acidification and the mobilization of trace metals in a sandy aquifer (2004) Environ. Sci. Technol., 38, pp. 2829-2835
- Langmuir, D.L., Mahoney, J., Rowson, J., Solubility products of amorphous ferric arsenate and crystalline scorodite (FeAsO4 · 2H2O) and their application to arsenic behavior in buried mine tailings (2006) Geochim. Cosmochim. Acta, 70, pp. 2942-2956
- Larsen, O., Postma, D., Kinetics of bulk dissolution of lepidocrocite, ferrihydrite and goethite (2001) Geochim. Cosmochim. Acta, 65, pp. 1367-1379
- McArthur, J.M., Ravenscroft, P., Safiulla, S., Thirlwall, M.F., Arsenic in groundwater: testing pollution mechanisms for sedimentary aquifers in Bangladesh (2001) Water Resour. Res., 37, pp. 109-117
- McArthur, J.M., Banerjee, D.M., Hudson-Edwards, K.A., Mishra, R., Purohit, R., Ravenscroft, P., Cronin, A., Chahda, D.K., Natural organic matter in sedimentary basins and its relation arsenic in anoxic ground water: the example of West Bengal and its worldwide implications (2004) Appl. Geochem., 19, pp. 1255-1293
- Nickson, R., McArthur, J., Burgess, W., Ahmed, K.M., Ravenscroft, P., Rahman, M., Arsenic poisoning of Bangladesh groundwater (1998) Nature, 395, p. 338
- Nickson, R.T., McArthur, J.M., Ravenscroft, P., Burgess, W.G., Ahmed, K.M., Mechanism of arsenic release to groundwater, Bangladesh and West Bengal (2000) Appl. Geochem., 15, pp. 403-413

- Oremland, R.S., Dowdle, P.R., Hoeft, S., Sharp, J.O., Schaefer, J.K., Miller, L.G., Switzer Blum, J., Wallschlaeger, D., Bacterial dissimilatory reduction of arsenate and sulfate in meromictic Mono Lake, California (2000) Geochim. Cosmochim. Acta, 64, pp. 3073-3084
- Parkhurst, D.L., Appelo, C.A.J., User's guide to PHREEQC (Version 2)-a computer program for speciation, reaction-path, 1D-transport, and inverse geochemical calculations (1999) U.S. Geol. Surv. Water Resour. Inv. Rep., pp. 99-4259
- Pedersen, H.D., Postma, D., Jakobsen, R., Larsen, O., Fast transformation of iron oxyhydroxides by the catalytic action of Fe(II) (2005) Geochim. Cosmochim. Acta, 69, pp. 3967-3977
- Pedersen, H.D., Postma, D., Jakobsen, R., Release of arsenic associated with the reduction and transformation of iron oxides (2006) Geochim. Cosmochim. Acta, 70, pp. 4116-4129
- Polizzotto, M.L., Harvey, C.F., Li, G., Badruzzman, B., Ali, A., Newville, M., Sutton, S., Fendorf, S., Solid-phases and desorption processes of arsenic within Bangladesh sediments (2006) Chem. Geol., 228, pp. 97-111
- Postma, D., Pyrite and siderite formation in brackish and freshwater swamp sediments (1982) Am. J. Sci., 282, pp. 1151-1183
- Postma, D., Jakobsen, R., Redox zonation: equilibrium constraints on the Fe(III)/SO4-reduction interface (1996) Geochim. Cosmochim. Acta, 60, pp. 3169-3175
- Postma, D., Boesen, C., Kristiansen, H., Larsen, F., Nitrate reduction in an unconfined sandy aquifer: water chemistry, reduction processes, and geochemical modeling (1991) Water Resour. Res., 27, pp. 2027-2045
- Radu, T., Subacz, J.L., Phillippi, J.M., Barnett, M.O., Effects of dissolved carbonate on arsenic adsorption and mobility (2005) Environ. Sci. Technol., 39, pp. 7875-7882
- Sengupta, S., Mukherjee, P.K., Pal, T., Shome, S., Nature and origin of arsenic carriers in shallow aquifer sediments of Bengal Delta, India (2004) Environ. Geol., 45, pp. 1071-1081
- Seyler, P., Martin, J.-M., Biogeochemical processes affecting arsenic species distribution in a permanently stratified lake (1989) Environ. Sci. Technol., 23, pp. 1258-1263
- Smedley, P.L., Kinniburgh, D.G., A review of the source, behaviour and distribution of arsenic in natural waters (2002) Appl. Geochem., 17, pp. 517-568
- Stanger, G., A palaeo-hydrogeological model for arsenic contamination in southern and south-east Asia (2005) Environ. Geochem. Health, 27, pp. 359-367
- Stookey, L.L., Ferrozine-a new spectrophotometric reagent for iron (1970) Anal. Chem., 42, pp. 779-781
- Stumm, W., Morgan, J.J., (1981) Aquatic Chemistry. second ed., , Wiley & Sons, New York 780 pp
- Suter, D., Siffert, C., Sulzberger, B., Stumm, W., Catalytic dissolution of iron(III) (hydr)oxides by oxalic acid in the presence of Fe(II) (1988) Naturwissenschaften, 75, pp. 571-573
- Swartz, C.H., Blute, N.K., Badruzzman, B., Ali, A., Brabander, D., Jay, J., Besancon, J., Harvey, C., Mobility of arsenic in a Bangladesh aquifer: inferences from geochemical profiles, leaching data, and mineralogical characterization (2004) Geochim. Cosmochim. Acta, 68, pp. 539-4557
- Swedlund, P.J., Webster, J.G., Adsorption and polymerization of silicic acid on ferrihydrite and its effect on arsenic adsorption (1999) Water Res., 33, pp. 3413-3422
- Tessier, A., Campbell, P.G.C., Bisson, M., Sequential extraction procedure for the speciation of particulate trace metals (1979) Anal. Chem., 51 (7), pp. 844-851
- van Geen, A., Zheng, Y., Versteeg, R., Stute, M., Horneman, A., Dhar, R., Steckler, M., Ahmed, K.M., Spatial variability of arsenic in 6000 tube wells in a 25 km2 area of Bangladesh (2003) Water Resour. Res., 39, p. 1140. , 10.1029/2002WR001617
- van Geen, A., Zheng, Y., Cheng, Z., Aziz, Z., Horneman, A., Dhar, R.K., Mailloux, B., Ahmed, K.M., A transect of groundwater and sediment properties in Araihazar, Bangladesh: further evidence of decoupling between As and Fe mobilization

(2006) Chem. Geol., 228, pp. 85-96

- Wenzel, W.W., Kirchbaumer, N., Prohaska, T., Stingeder, G., Lombic, E., Adriano, D.C., Arsenic fractionation in soils using an improved sequential extraction procedure (2001) Anal. Chim. Acta, 436, pp. 309-323
- Yu, W.H., Harvey, C.M., Harvey, C.F., Arsenic in groundwater in Bangladesh: a geostatistical and epidemiological framework for evaluating health effects and potential remedies (2003) Water Resour. Res., 39, p. 1146