

# Effective slope lengths for buffering hillslope surface runoff in fragmented landscapes in northern Vietnam

Ziegler A.D., Tran L.T., Giambelluca T.W., Sidle R.C., Sutherland R.A., Nullet M.A., Vien T.D.

Geography Department, University of Hawaii, Saunders Hall 445, 2424 Maile Way, Honolulu, HI 96822, United States; Department of Geography and Geology, Florida Atlantic University, Boca Raton, FL, United States; Disaster Prevention Research Institute, Geohazards Division, Kyoto University, Kyoto, Japan; Center for Natural Resources and Environmental Studies (CRES), Vietnam National University, Hanoi, Viet Nam

**Abstract:** We use field observations and diagnostic computer simulations (KINEROS2) to estimate the effective slope lengths (ESL) for buffers on disturbed hillslopes in two fragmented basins in northern Vietnam. Grassland, disturbed forest, and intermediate forms of secondary vegetation are the most effective buffering vegetation in the study area because these surfaces tend to have the highest saturated hydraulic conductivity. The ESL (m) is described by the following function of slope ( $\text{m m}^{-1}$ ):  $\text{ESL} = 98 + 15 \ln(\text{slope})$ . This non-linear relationship predicts comparatively longer buffer lengths at gentle slope gradients than guidelines/practices currently in use. The predicted buffer lengths range from roughly 30 to 100 m for slope gradients ranging from 0.01 to 1.0  $\text{m m}^{-1}$ . However, for large storms, steeper slopes, and/or more degraded conditions, buffer lengths greater than those predicted by the ESL criteria may be needed to minimize impacts from overland flow. On slopes with particularly large contributing areas, multiple or staggered buffers may be required. For the occurrence of concentrated overland flow, no practical buffer length may be sufficient. The ESL estimations provide a starting point for determining appropriate buffer dimensions needed to infiltrate upslope surface runoff in disturbed montane watersheds at the study site. Final determination of buffer dimensions should consider the physical characteristics of contributing hillslopes, the nature of the material to be filtered (e.g., water, sediment, chemicals, nutrients), and the likelihood of adoption of any buffering practice. Finally, buffers should be regarded as complementary practices to other hillslope conservation activities. Recognizing that the use of long buffer lengths may not be feasible for steep terrain in intensely managed tropical watersheds, we derive a second equation to predict the minimal effective slope length (MESL) for buffers:  $\text{MESL} = 32 + 4 \ln(\text{slope})$ . MESL values range from approximately 15 to 30 m over the same slope gradients, but they are less effective at reducing HOF than ESL buffers, particularly for large storms when erosion risk is highest. © 2005 Elsevier B.V. All rights reserved.

**Author Keywords:** Hortonian overland flow; KINEROS2; Land degradation; Southeast Asia; Swidden agriculture; Vegetative buffer strips

**Index Keywords:** Computer simulation; Degradation; Erosion; Sediments; Vegetation; Hortonian overland flow; KINEROS2; Land degradation; Southeast Asia; Swidden agriculture; Vegetative buffer strips; Runoff; buffer zone; erosion; fragmentation; hillslope; land degradation; landscape structure; runoff; Degradation; Erosion; Plants; Runoff; Sediments; Asia; Eurasia; Southeast Asia; Viet Nam; Hortonia

Year: 2006

Source title: Forest Ecology and Management

Volume: 224

Issue: 2-Jan

Page : 104-118

Cited by: 13

Link: [Scopus Link](#)

Correspondence Address: Ziegler, A.D.; Geography Department, University of Hawaii, Saunders Hall 445, 2424 Maile Way, Honolulu, HI 96822, United States; email: [adz@hawaii.edu](mailto:adz@hawaii.edu)

ISSN: 3781127

CODEN: FECMD

DOI: 10.1016/j.foreco.2005.12.011

Language of Original Document: English

Abbreviated Source Title: Forest Ecology and Management

Document Type: Article

Source: Scopus

Authors with affiliations:

- Ziegler, A.D., Geography Department, University of Hawaii, Saunders Hall 445, 2424 Maile Way, Honolulu, HI 96822, United States
- Tran, L.T., Department of Geography and Geology, Florida Atlantic University, Boca Raton, FL, United States
- Giambelluca, T.W., Geography Department, University of Hawaii, Saunders Hall 445, 2424 Maile Way, Honolulu, HI 96822, United States
- Sidle, R.C., Disaster Prevention Research Institute, Geohazards Division, Kyoto University, Kyoto, Japan
- Sutherland, R.A., Geography Department, University of Hawaii, Saunders Hall 445, 2424 Maile Way, Honolulu, HI 96822, United States
- Nullet, M.A., Geography Department, University of Hawaii, Saunders Hall 445, 2424 Maile Way, Honolulu, HI 96822, United States
- Vien, T.D., Center for Natural Resources and Environmental Studies (CRES), Vietnam National University, Hanoi, Viet Nam

References:

- Balmer, W.E., Williston, H.L., Dissmeyer, G.E., Pierce, C., Site preparation - Why and how (1982) Forest Manage. Bull. SA-FB2, , USDA Forest Service, Atlanta, Georgia
- Barling, R.W., Moore, I.D., Role of buffer strips in management of waterway pollution: A review (1994) Environ. Manage., 18, pp. 53-558
- Bren, L.J., A case study in the use of threshold measures of hydrologic loading in the design of stream buffer strips (2000) For. Ecol. Manage., 132, pp. 243-257
- Brooks, R.H., Corey, A.T., (1964) Hydraulic Properties of Porous Media, p. 27. , Hydrology paper 3. Colorado State University, Fort Collins, CO
- Bruijnzeel, L.A., Forest hydrology (2001) The Forests Handbook, , J.C. Evans Blackwell Scientific Oxford, UK
- Castelle, A.J., Johnson, A.W., Conolly, C., Wetland and stream buffer size requirements: A review (1994) J. Environ. Qual., 23 (5), pp. 878-882
- Chalmers, R.W., Erosion from snig-tracks on granite/adamellite-derived soils (1979) Aust. For. Res. Newsletter, 6, p. 142
- Clinnick, P.F., Buffer strip management in forest operations: A review (1985) Aust. For., 48 (1), pp. 34-45
- Davies, P.E., Neilson, M., Relationships between riparian buffer widths and the effects of logging on stream habitat, invertebrate

- community composition, and fish abundance (1994) *Aust. J. Marine Freshwater Res.*, 45, pp. 1289-1305
- De Ploey, J., Savat, J., Moeyersons, J., The differential impact of some soil factors on flow, runoff creep and rainwash (1976) *Earth Surf. Process. Landforms*, 1, pp. 151-161
  - Dillaha, T.A., Hayes, J.C., (1991) *A Procedure for the Design of Vegetative Filter Strips*, p. 48. , Final Report to USDA Soil Conservation Service, Washington, DC
  - Dillaha, T.A., Reneau, R.B., Mostaghimi, S., Lee, D., *Vegetative filter strips for agricultural nonpoint source pollution control* (1989) *Trans. ASAE*, 32, pp. 513-519
  - Dosskey, M.G., Helmers, M.J., Eisenhauer, D.E., Franti, T.G., Hoagland, K.D., *Assessment of concentrated flow through riparian buffers* (2002) *J. Soil Water Conserv.*, 57 (6), pp. 336-343
  - Erman, D.C., Newbol, J.D., Roby, K.B., (1977) *Evaluation of Streamside Bufferstrips for Protecting Aquatic Organisms*, , Technical Completion Report No. 165, California Water Resources Center, CA
  - Fahlen, A., *Mixed tree-vegetative barrier designs: Experiences from project works in northern Vietnam* (2002) *Land Degrad. Dev.*, 13, pp. 307-329
  - Flanagan, D.C., Neibling, W.H., Foster, G.R., Hurt, J.P., (1986) *Application of CREAMS in Filter Strip Design*, , Paper No. 86-2043, ASAE, St. Joseph, USA
  - Flanagan, D.C., Foster, G.R., Neibling, W.H., Burt, J.P., *Simplified equations for filter strip design* (1989) *Trans. ASAE*, 32, pp. 2001-2007
  - Fox, J., Minh Truong, D., Rambo, A.T., Phuong Tuyen, N., Le Trong Cuc, Leisz, S., *Shifting cultivation: A new old paradigm for managing tropical forests* (2000) *BioScience*, 50, pp. 521-528
  - Fox, J., Leisz, S., Minh Truong, D., Rambo, A.T., Phuong Tuyen, N., Le Trong Cuc, *Shifting cultivation without deforestation: A case study in the mountains of northwestern Vietnam* (2001) *Applications of GIS and Remote Sensing in Biogeography and Ecology*, pp. 289-307. , A.C. Millington S.J. Walsh P.E. Osborne Kluwer Academic Publishers Boston
  - Garrity, D.P., Mercado Jr., A., Stark, M., *Building the smallholder into successful natural resource management at the watershed scale* (1998) *Soil Erosion at Multiple Scales*, pp. 73-82. , F.W.T. Penning de Vries F. Angus J. Kerr CAB International Wallingford
  - Giambelluca, T.W., *Hydrology of altered tropical forest* (2002) *Hydrol. Process.*, 16, pp. 1665-1669
  - Gilliam, J.W., *Riparian wetlands and water quality* (1994) *J. Environ. Qual.*, 23, pp. 896-900
  - Gomi, T., Sidle, R.C., Richardson, J.S., *Understanding processes and downstream linkages in headwater systems* (2002) *BioScience*, 52, pp. 905-916
  - Graynoth, E., *Effects of logging on stream environments and fauna in Nelson* (1979) *N. Z. J. Marine Freshwater Res.*, 13, pp. 79-109
  - Haupt, H.F., *A method for controlling sediment from logging roads* (1959) *Intermountain Forest and Range Experiment Station Misc. Publ. No. 22*
  - Hayes, J.C., Dillaha, T.A., (1992) *Vegetative Filter Strips Application of Design Procedure*, , Paper No. 92-2103. American Society of Agricultural Engineers, St. Joseph, USA
  - Herron, N.F., Hairsine, P.B., *A scheme for evaluating the effectiveness of riparian zones in reducing overland flow to streams* (1998) *Aust. J. Soil Res.*, 36, pp. 683-698
  - Hillel, D., (1971) *Soil and Water - Physical Principles and Processes*, , Academic Press NY
  - Horton, R.E., *Rainfall interception* (1919) *Month. Weath. Rev.*, 47, pp. 603-623
  - Horton, R.E., *The role of infiltration in the hydrologic cycle* (1933) *Eos Trans. AGU*, 14, pp. 446-460
  - Jacinthe, P.-A., Groffman, P.M., Gold, A.J., Mosier, A., *Patchiness in microbial nitrogen transformations in groundwater in a*

- riparian forest (1998) *J. Environ. Qual.*, 27, pp. 156-164
- Jordan, T.E., Correll, D.L., Weller, D.E., Nutrient interception by a riparian forest receiving inputs from cropland (1993) *J. Environ. Qual.*, 26 (3), pp. 836-848
  - Laurance, W.F., Bierregaard Jr., R.O., Preface: A crisis in the making (1997) *Tropical Forest Remnants: Ecology, Management, and Conservation of Fragmented Communities*, W. Laurance R.O. Bierregaard Jr. University of Chicago Press Chicago, IL, USA
  - Le, T.C., Rambo, A.T., (1999) Composite Swidden Farmers of Ban Tat: A Case Study of the Environmental and Social Conditions in a Tay Ethnic Minority Community in Hoa Binh Province, Vietnam, 191p. , Research Report 1, Center for Natural Resources and Environmental Studies (CRES), Vietnam National University, Hanoi
  - Lee, K.-H., Isenhardt, T.M., Schultz, R.C., Mickelson, S.K., Multispecies riparian buffers trap sediment and nutrients during rainfall simulations (2000) *J. Environ. Qual.*, 29, pp. 1200-1205
  - Lee, P., Smith, C., Boutin, S., Quantitative review of riparian buffer width guidelines from Canada and the United States (2004) *J. Environ. Manage.*, 70, pp. 165-180
  - Lin, C.Y., Chou, W.C., Lin, W.T., Modeling the width and placement of riparian vegetated buffer strips: A case study on the Chi-Jia-Wang Stream Taiwan (2002) *J. Environ. Manage.*, 66, pp. 269-280
  - Lowrance, R., Dabney, S., Schultz, R., Improving water quality with conservation buffers (2002) *J. Soil Water Conserv.*, 57 (1), pp. 36-43
  - Lynch, J.A., Corbett, E.S., Mussallem, K., Best management practices for controlling nonpoint-source pollution on forested watersheds (1985) *J. Soil Water Conserv.*, 40 (1), pp. 164-167
  - Maag, M., Malinovsky, M., Nielsen, S.M., Kinetics and temperature dependence of potential denitrification in riparian soils (1997) *J. Environ. Qual.*, 26, pp. 215-223
  - Magette, W.L., Brinsfield, R.B., Palmer, R.E., Wood, J.D., Nutrient and sediment removal by vegetative filter strips (1989) *Trans. ASAE*, 32, pp. 663-667
  - Merz, B., Bardossy, A., Effects of spatial variability on the rainfall runoff process in a small loess catchment (1998) *J. Hydrol.*, 212-213, pp. 304-317
  - Meyer, L.D., Dabney, S.M., Harmon, W.C., Sediment-trapping effectiveness of stiff-grass hedges (1995) *Trans. ASAE*, 38, pp. 809-815
  - Morgan, R.P.C., (1995) *Soil Erosion and Conservation*, Longman Group Limited Essex, UK
  - Munoz-Carpena, R., Parsons, J.E., Gilliam, J.W., Modeling hydrology and sediment transport in vegetative filter strips (1999) *J. Hydrol.*, 214, pp. 111-129
  - Norris, V., The use of buffer zones to protect water quality: A review (1993) *Water Resour. Manage.*, 7, pp. 257-272
  - O'Loughlin, E.M., Saturation regions in catchments and their topographic properties (1981) *J. Hydrol.*, 53, pp. 229-246
  - Parlange, J.-Y., Lisle, I., Braddock, R.D., Smith, R.E., The three-parameter infiltration equation (1982) *Soil Science*, 133 (6), pp. 337-341
  - Phillips, J.D., An evaluation of the factors determining the effectiveness of water quality buffer strips (1989) *J. Hydrol.*, 107, pp. 133-145
  - Plamondon, A.P., Increase of the concentration of sediments in a suspension according to forest use and length of the effect (1982) *Can. J. For. Res.*, 12 (4), pp. 883-892
  - Rambo, A.T., The composite swiddening agroecosystem of the Tay ethnic minority of the northwestern mountain of Vietnam (1996) *Montane Mainland Southeast Asia in Transition*, pp. 69-89. , B. Rerkasem Chiang Mai University Consortium Chiang Mai, Thailand

- Rawls, W.J., Brakensiek, D.L., Saxton, K.E., Estimation of soil water properties (1982) *Trans. ASAE*, 25 (5), pp. 1316-1320
- Schultz, R.C., Isenhardt, T.M., Simpkins, W.W., Colletti, J.P., Riparian forest buffers in agroecosystems - Lessons learned from the Bear Creek Watershed, Central Iowa, USA (2004) *Agroforestry Syst.*, 61, pp. 35-50
- Sidle, R.C., Ziegler, A.D., Negishi, J.N., Abdul Rahim, N., Siew, R., Turkelboom, F., Erosion processes in steep terrain - Truths, myths, and uncertainties related to forest management in SE Asia (2005) *Forest Ecol. Manage.*, (THIS ISSUE)
- Smith, C.M., Riparian afforestation effects on water yields and water quality in pasture catchments (1992) *J. Environ. Qual.*, 21, pp. 237-245
- Smith, R.E., Goodrich, D.C., Quinton, J.N., Dynamic, distributed simulation of watershed erosion: The KINEROS2 and EUROSEM models (1995) *J. Soil Water Conserv.*, 50 (5), pp. 517-520
- Smith, R.E., Goodrich, D.C., Unkrich, C.L., Simulation of selected events on the Catsop catchment by KINEROS2: A report for the GCTE conference on catchment scale erosion models (1999) *Catena*, 37, pp. 457-475
- Srivastava, P., Costello, T.A., Edwards, R.R., Ferguson, J.A., Validating a vegetative filter strip performance model (1998) *Trans. ASAE*, 41 (1), pp. 89-95
- Stephenson, G.R., Freeze, R.A., Mathematical simulation of subsurface flow contributions to snowmelt and runoff Reynolds Ck. Watershed Idaho (1974) *Water Resour. Res.*, 10, pp. 284-294
- Tomer, M.D., James, D.E., Isenhardt, T.M., Optimizing the placement of riparian practices in a watershed using terrain analysis (2003) *J. Soil Water Conserv.*, 58 (4), pp. 198-206
- Trimble, G.R., Sartz, R.S., How far from a stream should a logging road be located? (1957) *J. Forestry*, 55, pp. 339-341
- Van Groenewoud, Interim recommendation for the use of buffer strips for the protection of small streams in the Maritimes (1977) Canadian Forest Service Information Report M-X-74, , New Brunswick Department of Fisheries and Environment, Fredericton
- Vertessy, R., Elsenbeer, H., Bessard, Y., Lack, A., Storm runoff generation al la Cuenca (2000) *Spatial Patterns in Catchment Hydrology: Observations and Modelling*, , R. Grayson G. Bloschl Cambridge University Press
- Welsch, D.J., Riparian forest buffers (1991) USDA-FS Publication No. NA-PR-07-91, , USDA Forest Service, Radnor, PA
- Wischmeier, W.H., Smith, D.D., Predicting Rainfall Erosion Losses (1978) *Agriculture Handbook No. 53*, , USDA, Washington, DC
- Woolhiser, D.A., Smith, R.E., Goodrich, D.A., (1990) KINEROS, a Kinematic Runoff and Erosion Model: Documentation and User Manual, 130p. , USDA-Agricultural Research Service, ARS-77
- Wylie, R.E.J., Forest operation to safeguard water and soil resources (1975) *Proceedings of Water and Soils Division*, , National Water and Soil Conservation Organization, Course no. 2, Rotorua
- Ziegler, A.D., Sutherland, R.A., Giambelluca, T.W., Runoff generation and sediment transport on unpaved roads, paths, and agricultural land surfaces in northern Thailand (2000) *Earth Surf. Process. Landforms*, 25 (5), pp. 519-534
- Ziegler, A.D., Sutherland, R.A., Giambelluca, T.W., Acceleration of Horton overland flow and erosion by footpaths in an agricultural watershed in Northern Thailand (2001) *Geomorphology*, 41 (4), pp. 249-262
- Ziegler, A.D., Giambelluca, T.W., Tran, L.T., Vana, T.T., Nullet, M.A., Fox, J., Duc Vien, T., Evett, S., Hydrological consequences of landscape fragmentation in mountainous northern Vietnam: Evidence of accelerated overland flow generation (2004) *J. Hydrol.*, 287, pp. 124-146

Download: 0673.pdf