

Bond switching from two- to three-dimensional polymers of C₆₀ at high pressure

Chi D.H., Iwasa Y., Takano T., Watanuki T., Ohishi Y., Yamanaka S.

Faculty of Physics, Hanoi National University, 334 Nguyen Trai Str., Hanoi, Viet Nam; Institute for Materials Research, Tohoku University, Sendai, 980-8577, Japan; CREST, Japan Science and Tech. Corporation, Kawaguchi, 332-0012, Japan; Synchrotron Radiation Center, JAERI, Koto 1-1, Hyogo 679-5198, Japan; JASRI-SPRING-8, Koto 1-1, Hyogo 679-5198, Japan; Department of Applied Chemistry, Hiroshima University, Higashi-Hiroshima, 739-8527, Japan

Abstract: In situ high pressure x-ray diffraction experiments revealed that a transformation from the two-dimensional (2D) tetragonal C₆₀ polymer to a three-dimensional (3D) polymer takes place via a highly anisotropic deformation of C₆₀ molecules along the c axis, as an irreversible first-order transformation above 20 GPa. In the 3D polymer phase, the 2+2 bonds remain in the 2D plane, while neighboring layers are connected by the 3+3 bonds. The bulk modulus of the 3D polymer was 407 GPa, being slightly smaller than that of diamond.

Index Keywords: alcohol; carbon; diamond; helium; methanol; polymer; anisotropy; article; chemical bond; chemical modification; chemical structure; molecule; polymerization; pressure; X ray diffraction

Year: 2003

Source title: Physical Review B - Condensed Matter and Materials Physics

Volume: 68

Issue: 15

Art. No.: 153402

Page : 1534021-1534024

Cited by: 17

Link: Scopus Link

Chemicals/CAS: alcohol, 64-17-5; carbon, 7440-44-0; diamond, 7782-40-3; helium, 7440-59-7; methanol, 67-56-1

Correspondence Address: Chi, D.H.; Faculty of Physics, Hanoi National University, 334 Nguyen Trai Str., Hanoi, Viet Nam

ISSN: 1631829

CODEN: PRBMD

Language of Original Document: English

Abbreviated Source Title: Physical Review B - Condensed Matter and Materials Physics

Document Type: Article

Source: Scopus

Authors with affiliations:

- Chi, D.H., Faculty of Physics, Hanoi National University, 334 Nguyen Trai Str., Hanoi, Viet Nam
- Iwasa, Y., Institute for Materials Research, Tohoku University, Sendai, 980-8577, Japan, CREST, Japan Science and Tech.

Corporation, Kawaguchi, 332-0012, Japan

- Takano, T., Institute for Materials Research, Tohoku University, Sendai, 980-8577, Japan
- Watanuki, T., Synchrotron Radiation Center, JAERI, Koto 1-1, Hyogo 679-5198, Japan
- Ohishi, Y., JASRI-SPring-8, Koto 1-1, Hyogo 679-5198, Japan
- Yamanaka, S., Department of Applied Chemistry, Hiroshima University, Higashi-Hiroshima, 739-8527, Japan

References:

- Makarova, T.L., (2001) Nature (London), 413, p. 716
- Sundqvist, B., (1999) Adv. Phys., 48, p. 1
- Iwasa, Y., (1994) Science, 264, p. 1570
- Nunez-Regueiro, M., (1995) Phys. Rev. Lett., 74, p. 278
- Blank, V.D., (1994) Phys. Lett. A, 188, p. 281
- Brashkin, V.V., Lyapin, A.G., Popova, S.V., (1996) JETP Lett., 64, p. 802
- Okada, S., Saito, S., Oshiyama, A., (1999) Phys. Rev. Lett., 83, p. 1986
- Meletov, K.P., (2001) Chem. Phys. Lett., 341, p. 435
- Chen, X., (2002) Chem. Phys. Lett., 356, p. 291
- Chen, X., Yamanaka, S., (2002) Chem. Phys. Lett., 360, p. 501
- Narymbetov, B., (2003) Chem. Phys. Lett., 367, p. 157
- Murnaghan, F.D., (1947) Proc. Natl. Acad. Sci. U.S.A., 30, p. 244
- Macdonald, J.R., Powell, D.R., (1971) J. Res. Natl. Bur. Stand., Sect. A, 75, p. 441
- Duclos, S.J., (1991) Nature (London), 351, p. 380
- Leger, J.M., (2002) Solid State Commun., 121, p. 241
- Kawasaki, S., (2003) Solid State Commun., 125, p. 637
- Serebryanaya, N.N., (2001) Solid State Commun., 118, p. 183
- noteOzaki, T., Iwasa, Y., Mitani, T., (1998) Chem. Phys. Lett., 285, p. 289
- Marques, L., (1999) Science, 283, p. 1720
- Chernozatonskii, L.A., Serebryanaya, N.R., Mavrin, B.N., (2000) Chem. Phys. Lett., 316, p. 199
- Larson, A.C., Von Dreele, R.B., (1998) General Structural Analysis System, , Los Alamos National Laboratory